

Application No. 10/609,120


Attorney Docket No. 11187-00016

(Endow-3)

Reply to Office Action of April 24, 2006

APPENDIX ACLEAN COPY OF CLAIMS AS AMENDED HEREIN

7. A method of reducing alcohol consumption in a mammal comprising administering a compound of Formula I



Formula I

wherein:

R₁ is selected from the group consisting of hydrogen, carboxy, halo, branched or straight chain (C₁-C₆)haloalkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₃-C₆)cycloalkylcarbonyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, and heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di (C₁-C₃)alkylaminocarbonyl;

R₂ is selected from the group consisting of hydrogen and alkoxy;

R₃ is selected from the group consisting of hydrogen, (C₁-C₆) alkoxycarbonyl, and carboxy;

R₄ is selected from the group consisting of hydrogen and hydroxy;

Application No. 10/609,120
Attorney Docket No. 11187-00016
(Endow-3)

Reply to Office Action of April 24, 2006

R₅ is selected from the group consisting of hydrogen, carboxy, hydroxy, amino, halo, branched or straight chain (C₁-C₆)alkyl, (C₁-C₆)haloalkyl, (C₂-C₆)alkenyl, (C₃-C₆)alkadienyl, (C₁-C₆)alkoxy, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₃-C₆)cyclohaloalkoxy, (C₂-C₆)alkynyloxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₁-C₆)alkylcarbonyl, (C₃-C₆)cycloalkylcarbonyl, (C₁-C₆)alkoxycarbonyl, (C₄-C₆)alkoxycarbonylalkyl, (C₁-C₆)hydroxyalkyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, heterocyclyl, heterocyclyloxy, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di(C₁-C₃)alkylaminocarbonyl;

R₆ is selected from the group consisting of hydrogen and hydroxy; and

R₇ is selected from the group consisting of hydrogen and halogen,

with the proviso that R₅ cannot be hydroxy when R₁, R₂, R₃, R₄, R₆, and R₇ are all hydrogen

in an amount effective to increase a concentration of 5-hydroxyindoleacetaldehyde or 3,4-dihydroxyphenylacetaldehyde formed during catabolism of serotonin or dopamine.


Application No. 10/609,120

Attorney Docket No. 11187-00016

(Endow-3)

Reply to Office Action of April 24, 2006

8. A method of reducing alcohol consumption in a mammal comprising administering a compound of Formula I



Formula I

wherein:

R₁ is selected from the group consisting of hydrogen, carboxy, halo, branched or straight chain (C₁-C₆)alkyl, (C₁-C₆)haloalkyl, (C₂-C₆)alkenyl, (C₃-C₆)alkadienyl, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₁-C₆)alkylcarbonyl, (C₃-C₆)cycloalkylcarbonyl, (C₁-C₆)alkoxycarbonyl, (C₄-C₆)alkoxycarbonylalkyl, (C₁-C₆)hydroxyalkyl, (C₅-C₁₀)carboxyalkyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, heterocyclyl, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di(C₁-C₃)alkylaminocarbonyl;

R₂ is selected from the group consisting of hydrogen and alkoxy;

R₃ is selected from the group consisting of hydrogen, (C₁-C₆)alkoxycarbonyl, and carboxy;

R₄ is selected from the group consisting of hydrogen and hydroxy;

Application No. 10/609,120
Attorney Docket No. 11187-00016

(Endow-3)

Reply to Office Action of April 24, 2006

R₅ is selected from the group consisting of hydrogen, carboxy, halo, amino, branched or straight chain (C₁-C₆)alkyl, (C₁-C₆)haloalkyl, (C₂-C₆)alkenyl, (C₃-C₆)alkadienyl, (C₁-C₆)alkoxy, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₃-C₆)cyclohaloalkoxy, (C₂-C₆)alkynyloxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₁-C₆)alkylcarbonyl, (C₃-C₆)cycloalkylcarbonyl, (C₁-C₆)alkoxycarbonyl, (C₄-C₆)alkoxycarbonylalkyl, (C₁-C₆)hydroxyalkyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, heterocyclyl, heterocycliloxy, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di(C₁-C₃)alkylaminocarbonyl

R₆ is selected from the group consisting of hydrogen and hydroxy; and

R₇ is selected from the group consisting of hydrogen, halogen, and C₁-C₆ alkoxy,

in an amount effective to increase a concentration 5-hydroxyindoleacetaldehyde or 3,4-dihydroxyphenylacetaldehyde formed during catabolism of serotonin or dopamine.

9. The method of claim 7, wherein the mammal is a human.

12. The method of claim 7, wherein the compound does not inhibit monoamine oxidase.

13. The method of claim 7, wherein R₅ is hydroxy or amino.

Application No. 10/609,120
 Attorney Docket No. 11187-00016
 (Endow-3)


Reply to Office Action of April 24, 2006

14. The method of claim 8, wherein R_1 is a straight chain alkyl.

15. (The method of claim 8, wherein R_1 is (C_1C_6) hydroxyalkyl or (C_5-C_{10}) carboxyalkyl.

16. The method of claim 7, wherein the compound is administered intraperitoneally, intramuscularly or orally.

26. A compound having the structure of Formula I



Formula I

wherein:

R_1 is selected from the group consisting of carboxy, halo, amino, branched or straight chain (C_3-C_6) cycloalkoxyalkyl, (C_1-C_6) alkoxy (C_3-C_6) cycloalkyl, substituted or unsubstituted phenyl, phenyl (C_1-C_6) alkyl, and heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C_1-C_3) alkyl, (C_1-C_3) haloalkyl, (C_1-C_3) alkoxy, (C_1-C_3) haloalkoxy, (C_1-C_3) alkylamino, di (C_1-C_3) alkylamino, (C_1-C_2) alkoxy (C_1-C_2) alkyl, (C_1-C_2) alkylamino (C_1-C_2) alkyl, di (C_1-C_2) alkylamino (C_1-C_2) alkyl, (C_1-C_3) alkylcarbonyl, (C_1-C_3) alkoxycarbonyl, (C_1-C_3) alkylaminocarbonyl, and di (C_1-C_3) alkylaminocarbonyl;

Application No. 10/609,120
Attorney Docket No. 11187-00016
(Endow-3)

Reply to Office Action of April 24, 2006

R₂ is selected from the group consisting of hydrogen and alkoxy;

R₃ is hydrogen;

R₄ is selected from the group consisting of hydrogen and hydroxy;

R₅ is selected from the group consisting of hydrogen, carboxy, hydroxy, halo, amino, branched or straight chain (C₁-C₆)alkyl, (C₁-C₆)haloalkyl, (C₂-C₆)alkenyl, (C₃-C₆)alkadienyl, (C₁-C₆)alkoxy, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₃-C₆)cyclohaloalkoxy, (C₂-C₆)alkynyloxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₁-C₆)alkylcarbonyl, (C₃-C₆)cycloalkylcarbonyl, (C₁-C₆)alkoxycarbonyl, (C₄-C₆)alkoxycarbonylalkyl, (C₁-C₆)hydroxyalkyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, heterocyclyl, heterocyclyloxy, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di(C₁-C₃)alkylaminocarbonyl;

R₆ is selected from the group consisting of hydrogen and hydroxy; and

R₇ is selected from the group consisting of hydrogen and halogen,

with the proviso that R₅ cannot be hydroxy when R₁, R₂, R₃, R₄, R₆, and R₇ are all hydrogen.


27. A compound having the structure of Formula I

Application No. 10/609,120

Attorney Docket No. 11187-00016

(Endow-3)

Reply to Office Action of April 24, 2006



Formula I

wherein:

R₁ is selected from the group consisting of hydrogen, carboxy, halo, amino, branched or straight chain (C₁-C₆)alkyl, (C₁-C₆)haloalkyl, (C₂-C₆)alkenyl, (C₃-C₆)alkadienyl, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₁-C₆)alkylcarbonyl, (C₃-C₆)cycloalkylcarbonyl, (C₁-C₆)alkoxycarbonyl, (C₄-C₆)alkoxycarbonylalkyl, (C₁-C₆)hydroxyalkyl, (C₅-C₁₀)carboxyalkyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, heterocyclyl, heterocyclcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di (C₁-C₃)alkylaminocarbonyl;

R₂ is selected from the group consisting of hydrogen and alkoxy;

R₃ is hydrogen;

R₄ is selected from the group consisting of hydrogen and hydroxy;

R₅ is selected from the group consisting of branched or straight chain (C₁-C₆)haloalkyl, (C₃-C₆)alkadienyl, (C₃-C₆)cycloalkoxy, (C₁-C₆)haloalkoxy, (C₃-C₆)cyclohaloalkoxy, (C₂-C₆)alkynyloxy, (C₁-C₆)alkoxy(C₁-C₆)alkyl, (C₃-C₆)cycloalkoxyalkyl, (C₁-C₆)alkoxy(C₃-C₆)cycloalkyl, (C₁-C₆)alkylcarbonyl, (C₃-C₆)cycloalkylcarbonyl, (C₁-C₆)alkoxycarbonyl, (C₄-

Application No. 10/609,120
Attorney Docket No. 11187-00016
(Endow-3)

Reply to Office Action of April 24, 2006

C₆alkoxycarbonylalkyl, (C₁-C₆)hydroxyalkyl, substituted or unsubstituted phenyl, phenyl(C₁-C₆)alkyl, heterocyclyl, heterocyclyloxy, heterocyclylcarbonyl, wherein substituents are from one to four and are selected from the group consisting of halo, aminocarbonyl, aminothiocarbonyl, carboxy, formyl, hydroxy, amino, carbamoyl, (C₁-C₃)alkyl, (C₁-C₃)haloalkyl, (C₁-C₃)alkoxy, (C₁-C₃)haloalkoxy, (C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, (C₁-C₂)alkoxy(C₁-C₂)alkyl, (C₁-C₂)alkylamino(C₁-C₂)alkyl, di(C₁-C₂)alkylamino(C₁-C₂)alkyl, (C₁-C₃)alkylcarbonyl, (C₁-C₃)alkoxycarbonyl, (C₁-C₃)alkylaminocarbonyl, and di (C₁-C₃)alkylaminocarbonyl

R₆ is selected from the group consisting of hydrogen and hydroxy; and

R₇ is selected from the group consisting of hydrogen, halogen, and C₁-C₆ alkoxy.

28. (The compound of claim 26, wherein R₅ is hydroxy or amino.

29. The compound of claim 27, wherein R₁ is a straight chain alkyl.

30. The compound of claim 27, wherein R₁ is (C₁-C₆)hydroxyalkyl or (C₅-C₁₀)carboxyalkyl.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☒ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.